


SECTION A – A' (see Figure 1)
CB20-429, CB21-469, CB21-473, CB21-487




Svc Volcaniclastics, siltstones, sandstones and conglomerates, breccias and rhyolites

Ss Sinter




Scgl Coarse-grained conglomeratic sandstone

Mita Sandstones, limestone, mafic volcanics and volcaniclastics



CB21-469 - 140.2 meters grading 1.1 g/t Au and 8.2 g/t Ag

Svc - Intensely silicified polymictic conglomerates and sandstones, with banded quartz vein and stockworks.



Press Release – Drill Assay Results Table

HOLE ID	EASTING	NORTHING	ELEVATION	AZIMUTH	DIP	DEPTH	FROM (m)	TO (m)	CORE INTERVAL (m)	Au g/t	Ag g/t
CB21-455	212,051	1,586,905	471.9	321	-50	151.49	65.19	111.86	46.7	0.5	1.0
CB21-456	211,957	1,587,008	508.5	320	-45	127.71	112.5	127.71	15.2	0.9	5.7
CB21-457	212,002	1,586,876	468.5	320	-50	137.16	9.14	124.97	115.8	0.6	1.7
CB21-458	212,145	1,587,779	546.4	319	-45	119.18	74.68	94.35	19.7	0.4	3.9
CB21-459	211,798	1,587,140	539.2	318	-59.5	100.58	66.78	83.75	17.0	0.4	1.2
CB21-460	212,020	1,587,002	490.7	327	-51	173.74	72.05	87.4	15.4	0.8	2.7
							114.64	172.21	57.6	3.1	9.9
CB21-461	212,048	1,586,873	468.3	320	-52	167.94	83.75	115.33	31.6	0.4	0.9
CB21-462	211,997	1,586,971	488.3	320	-56	140.82	62.65	128.05	65.4	0.8	3.0
CB21-463	212,163	1,587,780	541.7	320	-54	107.29	56.81	79.53	22.7	2.4	7.8
CB21-464	212,024	1,586,966	487.8	322	-65	160.02	7.32	21.03	13.7	0.9	6.0
CB21-464							108.2	148	39.8	0.8	3.8
CB21-465	212,069	1,586,921	471.4	329	-55	139.29	NSR				
CB21-466	212,001	1,587,409	555.5	322	-63	88.39	23.16	36.7	13.5	0.4	3.7
CB21-466							57.7	76.5	18.8	0.5	7.1
CB21-467	212,206	1,587,154	486.7	331	-52	162.15	19.51	24.99	5.5	0.4	0.8
							116.43	152.52	36.1	0.7	2.4
CB21-468	212,010	1,587,566	599.8	330	-45	161.24	39.93	81.1	41.2	0.6	2.5
CB21-469	212,028	1,587,152	544.1	300	-45	141.73	1.52	141.73	140.2	1.1	8.2
CB21-470	212,041	1,587,050	497.8	330	-59.5	114.91	3.35	30.48	27.1	0.4	1.4
							73.15	114.91	41.8	1.6	7.7
CB21-471	211,710	1,587,061	538.9	315	-52.5	53.34	43.89	51.62	7.7	1.6	3.0
CB21-472	211,824	1,587,179	547.4	320	-79	84.73	NSR				
CB21-473	212,077	1,587,054	492.1	325	-51	150.57	1.41	21.95	20.5	0.4	0.9
	211,985	1,587,015	503.6	322	-66	155.75	107.29	150.57	43.3	0.5	5.3
CB21-474							53.4	68.9	15.5	0.6	4.0
CB21-474							103.94	143.02	39.1	1.7	3.7
CB21-475	212,007	1,587,544	600.1	312	-83	116.13	26.0	53.0	27.0	2.0	5.6
CB21-476	212,026	1,587,869	598.4	320	-80	150.27	116.87	124.25	7.4	0.4	2.1
CB21-477	212,081	1,587,205	532.6	315	-66	118.87	2.48	33.95	31.5	0.7	3.4
							83.44	118.87	35.4	0.8	3.9
CB21-478	212,389	1,587,912	480.9	265	-50	101.19	34.14	98.56	64.4	0.7	10.4
CB21-479	211,910	1,587,161	559.4	330	-44	160.93	4.5	154.63	150.1	1.8	5.4
inc							148.85	149.85	1.0	169.9*	433.0
and							153.56	154.63	1.1	15.7	29.0
CB21-480	211,984	1,587,525	599.7	322	-66	124.36	31.64	57.14	25.5	0.3	0.5
CB21-481	212,274	1,587,854	500.8	265	-50	101.5	NSR				
CB21-482	212,016	1,587,845	598.0	316	-56	148.74	112.93	148.74	35.8	0.6	4.6
CB21-483	211,846	1,587,555	569.5	320	-55	95.1	NSR				
CB21-484	212,268	1,587,799	503.3	265	-33	135.33	NSR				
CB21-485	212,016	1,587,264	545.9	315	-41	130.45	0	124.39	124.4	0.5	5.6
CB21-486	211,818	1,587,634	568.9	320	-60	76.81	NSR				
CB21-487	211,839	1,587,356	566.1	294	-61	93.88	50.6	81	30.4	1.8	5.9
							85.26	92.88	7.6	30.2	85.5
CB21-488	212,154	1,587,731	538.4	322	-79	109.73	NSR				
CB21-489	212,275	1,587,908	500.3	265	-33	129.84	0	18.59	18.6	0.4	4.8
CB21-490	211,850	1,587,633	571.0	320	-60	95.1	35.25	54.73	19.5	0.5	2.7
CB21-491	211,830	1,587,307	562.2	306	-31	130.75	85.95	128.66	42.7	0.9	4.0
CB21-492	211,787	1,587,056	522.0	321	-82	109.12	NSR				
CB21-493	212,156	1,587,672	537.0	140	-70	106.58	50.5	60.15	9.7	0.4	5.6
CB21-494	211,811	1,587,581	563.6	318	-49	86.56	NSR				
CB21-495	212,252	1,588,019	497.6	334	-45	100.89	NSR				
CB21-496	211,851	1,587,588	570.8	140	-77	85.95	NSR				
CB21-497	211,798	1,587,081	528.0	326	-71	123.44	NSR				
CB21-498	211,847	1,587,593	470.7	320	-64	99.36	69.36	78.12	8.8	1.3	11.0
CB21-499	212,140	1,588,001	552.0	360	-45	75.59	NSR				
CB21-500	212,141	1,587,905	547.6	340	-50	148.44	NSR				
CB21-501	211,867	1,587,068	524.9	330	-30	155.14	105.62	155.14	49.5	0.5	1.4
CB20-429	211,962	1,587,257	576.5	301	-31	212.14	22.86	212.14	189.3	0.8	2.52
inc							209.14	212.14	3.0	9.4	15.67
CB20-448	212,188	1,587,327	496.3	284	-37	288.95	260.57	281.9	21.3	1.0	2.19
CB20-453	211,902	1,587,323	569.4	331.18	-62	146.3	50.9	114.77	63.9	0.4	0.9
CB20-454	212,131	1,587,186	509.5	281	-56	328.57	92.35	141.12	48.8	1.1	3.8
CB20-454							226.34	231.14	4.8	0.6	0.7
CB20-454							315.79	328.57	12.8	0.7	6.8